EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S82	262	(("709"/$.ccls. or "370"/$.ccls. or "455"/$.ccls.) and (client and server and telephone and ((reverse adj turing adj test$3) or (rts)) or ((nst) or (non-scalable adj task$3)))) and @ad<"20020718"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 16:49
S83	121	(("709"/$.ccls. or "370"/$.ccls. or "455"/$.ccls.) and (client and server and telephone and ((reverse adj turing adj test$3) or (rts)) or ((nst) or (non-scalable adj task$3)))) and @ad<"20020718" and ((authenticat$4 or permission) and (agent or service))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 12:33
S84	50	(("709"/$.ccls. or "370"/$.ccls. or "455"/$.ccls.) and (client and server and telephone and ((reverse adj turing adj test$3) or (rts)) or ((nst) or (non-scalable adj task$3)))) and @ad<"20020718" and ((authenticat$4 or permission) and (agent or service) and ((service or grant$3) adj2 request))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 16:54
S89	10821	"83" and hip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 12:31
S90	121	(("709"/$.ccls. or "370"/$.ccls. or "455"/$.ccls.) and (client and server and telephone and ((reverse adj turing adj test$3) or (rts)) or ((nst) or (non-scalable adj task$3)))) and @ad<"20020718" and ((authenticat$4 or permission) and (agent or service))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 12:32
S91	0	S90 and hip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 12:32

EAST Search History

S92	0	(("709"/$.ccls. or "370"/$.ccls. or "455"/$.ccls.) and (client and server and telephone and ((reverse adj turing adj test$3) or (rts)) or ((nst) or (non-scalable adj task$3)))) and @ad<"20020718" and ((authenticat$4 or permission) and (agent or service)) and hip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 12:34
S93	121	(("709"/$.ccls. or "370"/$.ccls. or "455"/$.ccls.) and (client and server and telephone and ((reverse adj turing adj test$3) or (rts)) or ((nst) or (non-scalable adj task$3)))) and @ad<"20020718" and ((authenticat$4 or permission) and (agent or service))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 11:02
S94	127	pinkas.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 15:05
S97	24	((("709"/$.ccls. or "370"/$.ccls. or "455"/$.ccls.) and (client and server and telephone and ((reverse adj turing adj test$3) or (rts)) or ((nst) or (non-scalable adj task$3)))) and @ad<"20020718" and ((authenticat$4 or permission) and (agent or service))) and ((call$3 adj id) or ani)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 15:07
S98	1	pinkas.in. and ((call$3 adj id) or ani)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 15:05
S99	24	((("709"/$.ccls. or "370"/$.ccls. or "455"/$.ccls.) and (client and server and telephone and ((reverse adj turing adj test$3) or (rts)) or ((nst) or (non-scalable adj task$3)))) and @ad<"20020718" and ((authenticat$4 or permission) and (agent or service))) and (((call$3 adj id) or ani)) and @ad<"20020718"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 16:54

S10 0	0	((("709"/$.ccls. or "370"/$.ccls. or "455"/$.ccls.) and (client and server and telephone and ((reverse adj turing adj test$3) or (rts)) or ((nst) or (non-scalable adj task$3)))) and @ad<"20020718" and ((authenticat$4 or permission) and (agent or service))) and (((call$3 adj id) or ani)) and @ad<"20020718" and (sequen$5 with character)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 16:56
S10 1	0	((("709"/$.ccls. or "370"/$.ccls. or "455"/$.ccls.) and (client and server and telephone and ((reverse adj turing adj test$3) or (rts)) or ((nst) or (non-scalable adj task$3)))) and @ad<"20020718" and ((authenticat$4 or permission) and (agent or service))) and (((call$3 adj id) or ani)) and @ad<"20020718" and ((sequen$5 or distort$3) with character)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 16:57
S10 2	0	((("709"/$.ccls. or "370"/$.ccls. or "455"/$.ccls.) and (client and server and telephone and ((reverse adj turing adj test$3) or (rts)) or ((nst) or (non-scalable adj task$3)))) and @ad<"20020718" and ((authenticat$4 or permission) and (agent or service))) and (((call$3 adj id) or ani)) and @ad<"20020718" and ((sequen$5 or distort$3) with (character or letter))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/26 16:58